

GROOVE AT TOP RAIL W/
#3 HORIZONTAL RE-BAR
TIED TO TOPS
OF BALUSTER PINS,
SET WITH HIGH STRENGTH
MORTAR / GROUT

WRAP #3 BAR AROUND TOP RAIL
TIE BACK INTO 2X WALL

LAGUNA PRECAST
TOP RAIL

WASHER AND NUT
AT TOP OF
ALL THREAD

LAGUNA PRECAST
BALUSTER

REFERENCE
<http://www.plidek.com/Support%20Files/details.html>

3'-6"

DEX-O-TEX
MEMBRANE SURFACE AT DECK
ICC-ES# ESR-1757

THRESHOLD

3/4" T&G PLYWOOD
FLOOR SHEATHING W/
10d NAILS @
6" O.C. @ EDGES &
10" O.C. IN FIELD
P.I. #32/16

GLU LAM BEAM
RE: STRUCTURAL

FLOOR JOISTS @ 16" O.C.


1
PC-3

1/2" WASHER & NUT AT
1/2" @ ALL THREAD CONTINUOUS BOLT

FLOOR JOISTS @ 16" O.C.

EIFS TRIM

BEAM RE: STRUCTURAL



SCALE: 1" = 1'-0"

GARAGE DOOR

GARAGE

Installation Drawings: Offered for reference only.
Ask for installation drawings that are similar to your jobs requirements.

7'-0"

1 BALCONY SECTION
1" = 1'-0"

SALES 877.774.3280 TOLL FREE
INTERNATIONAL +1.1.949.281.2345
SALES@LAGUNAPRECAST.COM
WWW.LAGUNAPRECAST.COM

LAGUNA PRECAST

DESCRIPTION: SECTION	OWNER:	REVISIONS	
		DATE:	
PRODUCT / SHEET #:		SCALE:	
PC-2		DRAWN BY:	